TECHNICAL SPECIFICATIONS

2027 KTM 450 RALLY REPLICA

ENGINE

Design	1-CYLINDER, 4-STROKE ENGINE
Displacement	449.3 CM^3
Transmission	6-SPEED
Cooling	LIQUID COOLED
Engine cylinder	SINGLE CYLINDER
Engine addition	4 V / SOHC
EMS	KOKUSAN
Engine oil manufacturer	MOTOREX
Engine stroke	4-STROKE
Drive type	COMBUSTION

CHASSIS

Front brake disc diameter	**300 MM**
Front brake disc diameter	**11.81 INCH**
Rear brake disc diameter	**240 MM**
Rear brake disc diameter	**9.45 INCH**
Chain	**5/8 X 1/4"**
Frame material	**CHROME-MOLYBDENUM STEEL**
Subframe tank	**SELF SUPPORTING FUEL TANK**
Rear subframe design	**SELF-SUPPORTING PLASTIC TANK**

SUSPENSION

Suspension travel (front)	**304 MM**
Suspension travel (rear)	**280 MM**
Suspension travel (front)	**11.97 INCH**
Suspension travel (rear)	**11.02 INCH**
Front suspension type	**WP XACT**
Rear suspension type	**WP SHOCK ABSORBER**

DIMENSIONS

Tank capacity (approx.)	**35 L**
Subframe tank	**SELF SUPPORTING FUEL TANK**
Tank capacity (approx.)	**9.25 US GAL**
Wheels	**SPOKED WHEELS WITH ALUMINIUM RIMS**